

TECHNICAL DATA SHEET

Electrical Cleaner

AIEC

James Briggs Ltd Salmon Fields, Royton, Oldham OL2 6HZ UK Tel: 0161 627 0101 Fax: 0161 627 0971 www.addituk.com

1. Introduction

A light duty solvent cleaner and degreaser primarily for electrical equipment and electronic components.

2. Where to Use

On any metallic, most plastics and rubbers, for the removal of dirt, greases and oils.

- 3. Where not to use
 - On any **live** electrical components.

4. Benefits

- Dissolves oils greases and most flux residues.
- Ease of use, no post application operations.
- Fast use, virtually instantaneous evaporation.
- Totally volatile, residue free.
- 5. Physical Properties [Electrical Cleaner base except where stated]

Appearance	A clear colourless liquid with a strong alcoholic odour.
pH	Not applicable
Specific Gravity	0.80 +/- 0.02
Non Volatiles % m/m	None
Active Content % m/m, as supplied	70 - 90
Viscosity	Thin liquid
Flammability, as supplied	Extremely flammable, flash point below -20°C.
Composition Data, as supplied	Propan-2-ol in a butane/isobutane/propane propellant
Service Temperature	Designed for use at ambient temperatures.

6. Application

Always isolate all electrical equipment. Apply liberally, directly to the surface from a distance of 15 - 20 cm. Allow to evaporate, wiping away any excess with a clean dry cloth. Ensure all product vapours have been completely removed prior to re-connecting to the power supply

7. Availability

500ml aerosols

Sol012, RJB, March 2012.